



YAMUNA

Mfg: All Kind of Hospital Steel Furniture & O.T. Equipments



MODERN SEMI FOWLER BED : (H-0101)

(FIX HEIGHT, RAISING BACKREST, TWO WAY LONGITUDINAL TILT)

Overall Approx. Size : 225cm L. x 102cm W. x 61cm H.

Two section perforated top. Two separate screw for backrest & trendelenburg/reverse trendelenburg adjustments. Removable SS head & foot bows with laminated top panels. Complete with corner buffers. Saline arrangement with four location. 125 mm dia. Castor two with break. Pretreated & powder coated.

Optional : 1. Full Length Collapseble Side Rail

2. Sliding Safety Rail

3. 100 mm Foam Mattress With Rexine Cover.



NEW DESIGN FOWLER POSITION BED :(H-0102)

(FLX HEIGHT, FOWLER POSITION)


Overall Approx. Size : 198cm L. x 91cm W. x 61cm H.

Four Section perforated top. Backrest & Kneerest manoeuvred by two separate screw. SS head & foot bows are of equal height with laminated panels. Four side saline arrangement location. 125mm dia. Castor two with break. Pretreated & Powder coated

OPTIONAL : 1. Saline arrangement (E-0001)

2. Sliding Safety railing(E-0005)

3. 100 mm Foam Mattress With rexine Cover. (E-0004)



NEW DESIGN SEMI FOWLER BED : (H-103)

(FLX HEIGHT, RAISING BACKREST)

Overall Approx. Size : 198cm L. x 91cm W. x 61cm H.


Two section perforated top. Backrest by screw at leg end. SS head & foot bows are of equal height fitted with laminated panels. Four side saline arrangement location. Leg fitted with rubber shoes. Pretreated & powder coated.

Optional : 1. Saline arrangement (E-0001)

2. Sliding Safety rail (E-0005)

3. 125 mm dia. Castor two with break (E-0003)

4. 100 mm foam mattress With rexine Cover. (E-0004)



NEW DESIGN SHEET BED WITH BACKREST : (H-0104)

**Overall Approx. Size :
198cm L. x 91cm W. x 61cm H.**

Two section perforated top. Backrest adjust on ratchet, SS head & foot bows with lami panels. Four side saline arrangement location fitted with rubber shoes. Pretreated & powder coated.

- Optional :**
1. Saline Arrangement (E-0001)
 2. Sliding Safety Rail (E-0005)
 3. 100 mm Foam Mattress With Rexine Cover. (E-0004)




SHEET BED WITH BACKREST : (H-0105)

**Overall Approx. Size :
205cm L. x 91cm W. x 61cm H.**

Two section perforated top. Backrest adjustment on ratchet, head bow 107 cm height with three vertical & one horizontal support. Leg bow 76 cm height three vertical & one horizontal support. Four side saline arrangement location. Legs fitted with rubber shoes. Pretreated & powder coated.

- Optional :**
1. Saline Arrangement (E-0001)
 2. Sliding Safety Rail (E-0005)
 3. 100 mm Foam Mattress With Rexine Cover. (E-0004)
 4. Crib With Arrangement (E-0002)



NEW DESIGN SHEET BED : (H-0106)

Overall Approx. Size :

190cm L. x 91cm W. x 61cm H.

Frame work of specially designed CRC rectangular heavy tubes, machine pressed CRC sheet top with proper support. SS head & foot bows with laminated panel. Four side saline arrangement location. Legs fitted with rubber shoes. Pretreated & powder coated.

- Optional :**
- 1. Saline Arrangement (E-0001)**
 - 2. Sliding Safety Rail (E-0005)**
 - 3. 100 mm Foam Mattress With Rexine Cover. (E-0004)**



SIMPLE SHEET BED : (H-107)

Overall Approx. Size :

190cm L. x 91cm W. x 61cm H.

Machine pressed CRC sheet top with proper support. Head bow 107 cm height with three vertical & one horizontal support. Foot bow 76 cm height with three vertical & one horizontal support. Pretreated & powder coated.

- Optional :**
- 1. SS Saline Rod With Two Side Saline Knob (E-0006)**
 - 2. Crib With Arrangement (E-0002)**
 - 3. 100 mm Foam Mattress With Rexine Cover. (E-0004)**



BED SIDE LOCKER S.S. TOP : (H-0108)

Overall Approx. Size : 40cm L. x 40cm W. x 82cm H.

Machine pressed CRC sheet cabinet, door with ventilating louvers, tubular legs fitted with rubber shoes. Stainless steel top. pretreated & powder coated.

Optional : SS Railing (E-0016)



BED SIDE LOCKER S.S. TOP & S.S. TRAY : (H-0109)

Overall Approx. Size : 40cm L. x 40cm W. x 82cm H.

Machine pressed CRC sheet cabinet, door with ventilating louvers, tubular legs fitted with rubber shoes. Stainless steel top. Stainless steel tray fitted on cabinet. Pretreated & powder coated.

Optional : SS Railing (E-0016)



BED SIDE LOCKER WITH DRAWER & RAILING : (H-0110)

Overall Approx. Size : 40cm L. x 40cm W. x 82cm H.

Machine pressed CRC sheet cabinet & drawer, tubular legs fitted with rubber shoes. Stainless steel top & stainless steel railing. Pretreated & powder coated.




BED SIDE LOCKER N.H. TYPE : (H-0111)

Overall Approx. Size : 40cm L. x 40cm W. x 82cm H.

Machine pressed CRC sheet cabinet and three side closed having box and drawer, S.S. Top tray type three side borders locker with 50 mm dia. Non rusting castor. Pretreated & powder coated.

Optional : S.S. Railing (E-0016)



SALINE STAND WITH CASTOR BASE : (H-0112)

Tubular construction base fitted with 50 mm dia. Non rusting castor. SS rod with double hooks height adjustable from 120 cm to 210 cm Pretreated & powder coated.




BED SIDE STOOL : (H-0113)

Overall Approx. Size :
30cm L. x 30cm W. x 50cm H.
Machine pressed bent top made from CRC sheet, tubular legs fitted with rubber shoes. Pretreated & powder coated.
Optional : Stainless Steel



VISITOR SEAT CUM BED WITH MATTRESS : (H-011)

Overall Approx. Size : 183 cm L. x 60cm W. x 45cm H.
Tubular frame work with angle support 75 mm foam mattress with rexine cover. Legs fitted with rubber shoes. Pretreated & powder coated.



PATIENT SEATING BENCHES : (H-0115)

Overall Approx. Size : 183 cm L. x 40cm W. x 45cm H.
Tubular frame work with angle support with laminated top. Legs fitted with rubber shoes. Pretreated & powder coated.



ADJUSTABLE BED SIDE TABLE : (H-0116)

Approx. Top Size : 81 cm L. x 36cm W.

Laminated border top in two section. Tubular frame work with 50 mm dia. Non rusting castor. Height is adjusted by geared handle. Pretreated & powder coated.




OVER BED TABLE : (H-0118)

Overall Approx. Size :
106cm L. x 45cm W. x 91cm H.
Top Size : 76cm L. x 45cm W.


Laminated top, tubular frame work with 100 mm dia. Swiveling castor. Pretreated & powder coated.

- Optional : 1. SS Top (G-0272)**
2. Complete SS Table (G-0273)



BACKREST : (H-0119)

Overall Approx. Size :
61cm W. x 51cm H.



THREE FOLD SCREEN : (H-0119)

Overall Approx. Size :
168cm H. x 240cm W.

Tubular frame work fitted with 50mm dia. Non rusting castor. Middle frame 120 cm side frame 58 cm Each frame with four side hooks. Pretreated & powder coated.


Optional : Cloth



CRIB WITH STAND : (H-0117)

Overall Approx. Size :
91cm L. x 45cm W. x 91cm H.
Crib Size : 76cm L. x 38cm W. x 30cm H.

Along with three pair of hooks for obtaining tilt positions. Tubular frame work, fitted with 100 mm dia. Castor. Pretreated & powder coated.




TRANSFER TROLLEY SYSTEM : (H-0121)

Overall Approx. Size :

One Stretcher On Trolley 203cm L. x 56cm W. x 90cm H.

The System with two under carriages and one Stretcher. Tubular Frame Work with 20 cm Dia. Swivelling Castor Wheels. The two under carriages can be interlocked length wise and Stretcher rolled over from one carriage to another. Stretcher can be raised to one end on Ratchet. Two Trolley with one side Saline Location with one S.S. Saline Rod. Gas cylinder provision in one Trolley Pretreated and Epoxy Powder Coated

Optional : Foam Mattress.



STRETCHER ON TROLLEY (HEAVY DUTY) : (H-0122)

Overall Approx. Size : 203cm L. x 56cm W. x 82cm H.

Steel Tubular Frame Work, Trolley mounted on 20 cm Dia, Swivelling Castor Wheels. Tilttable Top (Hinged at one end) from Alluminium Sheet supported Steel Tubular Frame. One Instrument Tray and Provision for Gas Cylinder and Saline Rod. Pretreated and Epoxy Powder Coated.

Optional : 1) Complete S.S. Top with S.S. Frame. 2) Foam Mattress



STRETCHER ON TROLLEY : (H-0123)

Overall Approx. Size : 203cm L. x 56cm W. x 82cm H.

Steel Tubular Frame Work, Trolley mounted on 20 cm Dia, Swivelling Castor Wheels. Removable Stretcher Top from Alluminium Sheet, supported with Steel Tubular Frame. Pretreated and Epoxy Powder Coated.

Optional : 1) Complete S.S. Top with S.S. Pipe Frame.

2) Foam Mattress


EXAMINATION TABLE : (H-0123)

Overall Approx. Size :

183cm L. x 60cm W. x 84cm H.

Machine pressed double bent CRC sheet top two section head flap adjustable on ratchet. Tubular frame work legs fitted with rubber shoes. Pretreated & powder coated.

Optional : Foam mattress with rexine cover. (E-0072)




EXAMINATION CUM GYNAEC TABLE : (H-0069)

Overall Approx. Size :

183cm L. x 60cm W. x 84cm H.

Machine pressed double bent CRC sheet two section top. Headrest adjustable on ratchet. Complete with a pair of SS lithotomy rod with belt. Tubular legs fitted with rubber shoes. Pretreated & powder coated.

Optional : Foam Mattress with rexine cover (E-0069)



EXAMINATION COUCH : (H-0125)

Overall Approx. Size :

183cm L. x 60cm W. x 82cm H.

Headrest adjustments on gas spring. Upper section with three drawers. Lower section has cabinet with sliding doors & one shelves. Swinging tray for B.P. Instrument near headest. Foam mattress with rexine cover. Pretreated & powder coated.




EXAMINATION COUCH (FLAT TOP) : (H-01)

Overall Approx. Size :

183cm L. x 60cm W. x 82cm H.

Upper section with three drawers. Lower section has cabinet with sliding doors & one shelf. Swinging tray for B.P. Instrument. Foam mattress with rexine cover. Pretreated & Powder coated.

Optional : Gynaec model



NEW DESIGN LABOUR TABLE :(H-0127)

Overall Approx. Size : 187 cm L. x 76cm W. x 76cm H.

Steel tubular frame work, down position operated by gas spring at head end. Backrest is on racheat mechanism. The SS top is in three section. Head bows with laminated panels. Removable S.S. Side rail, Two side labour pain handle. Pair of lithotomy crutches mounted on SS rods & SS bowl. Pretreated & powder coated.

- Optional :**
- 1. Foam mattress with rexine cover (E-0061)**
 - 2. Complete stainless steel table (G-2009)**
 - 3. Saline arrangement (E-0001)**




LABOUR TABLE : (H-0131)

Overall Approx. Size :
183 cm L. x 76cm W. x 76cm H.

Machine pressed double bent CRC sheet top with center support. Tubular frame work. Legs end with SS lithotomy rods & belts. Legs fitted with rubber shoes. Pretreated & powder coated.

Optional : 1. Foam mattress with Rexine cover (E-0066)
2. Complete Stainless Steel Table (G-2013)



DOUBLE STEP STOOL : (H-0128)

Overall Approx. Size :
46 cm L. x 60cm W. x 45cm H.

Machine pressed CRC sheet top with alluminium tread flats. Tubular frame work legs fitted with rubber shoes. Pretreated & powder coated.



SINGLE STEP STOOL : (H-0129)

Overall Approx. Size :
46 cm L. x 30cm W. x 23cm H.

Machine pressed CRC sheet top fitted alluminium tread flats. Tubular frame work legs fitted with rubber shoes. Pretreated & powder coated.



REVOLVING STOOL : (H-0130)

Overall Approx. Size : 45/68cm H.

Tubular frmae work stainless steel top, height ajustments by screw. 30cm round S.S. Top. Legs fitted with rubber shoes. Pretreated & powder coated.



PLAIN INSTRUMENT : (H-0132)
Overall Approx. Size :
68cm L. x 45cm W. x 82cm H.
Complete SS tubular frame work mounted on 100 mm dia. Swiveling castor & two detachable SS tray.



PLAIN INSTRUMENT TROLLEY WITH RAILLING : (H-0133)
Overall Approx. Size : 68cm L. x 45cm W. x 89cm H.
SS Tubular frame work mounted on 100 mm dia, swiveling castor. Upper top fitted with SS side border railing & down detachable SS tray.



MAYO'S TROLLEY : (H-0133)
Overall Approx. Size :
76/100cm H. SS Tray Size :
56cm L. x 41cm W.
Complete SS tubular frame work mounted on four 50 mm dia. Non rusting castor.



WASH BASIN STAND : (H-0133)
Height 85 cm suitable for 35 cm SS bowl. Complete stainless steel tubular frame work 50 cm dia. Non rusting castor.



KICK BUCKET WITH : (H-0136)

Tubular legs with complete stainless steel frame mounted on three 100 mm. Castor with 35 cms S.S. Bowl.

SOILED LINNEN : (H-0137)

Overall Approx. Size :
91cm H. x 50cm dia.

Tubular frame work fitted with 100 mm swiveling castors. Supplied with plastic coated canvas bag. Complete stainless steel trolley.



OXYGEN TROLLEY : (H-0138)

Suitable for 30 inches height gas cylinder. Tubular frame work fitted with two 100 cm dia. Rubber wheels. Pretreated & powder coated.

SURGICAL INSTRUMENT CABINET : (H-0139)

Overall Approx.

Size : 60cm W. x 45cm D.
x 160cm H.

Made from machine pressed CRC sheet front door with glass. Three way locks system. Five glass shelves adjustable making six compartments. Pretreated & powder coated.





DRACING TROLLEY : (H-0140)

Overall Approx. Size : 76cm L. x 51cm W. x 82cm H.


Stainless steel tubular frame work mounted on 125 mm dia. Swiveling castor. Two S.S. Shelves, S.S. Rails on four sides. Supplied with S.S. Bowl & bucket.




CRASH CART : (H-0141)

Overall Approx. Size : 71cm L. x 40cm D. x 152cm H.


Complete SS tubular frame work two plystyrene box each with lockable three drawers. six nos. Handout bins at eye level. SS saline rod. Powder coated oxygen arrangement. one wooden writing board. 125 mm dia. Castor two with breaks.



Haidrolic Opration Table : (H-0142)





S - 125 

EXAMINATION COUCH